

# ALUMINUM BLEACHERS PLAYER BENCHES · PICNIC TABLES · RENOVATIONS · INSTALLATION

and the second second second second second

A MAR GAR

(HERE PARTY PARTY)



BENCHES





PORTABLE SEATING

ŌŌ 

**GROUP SEATING** 



Accessible SEATING

00000  $\neg \neg \neg \neg \neg$ . . . . .

CAPACITY SEATING



### TRANSPORTABLE & TIP N' ROLL Bleachers



Transportables can be moved from one field to the next. Tip N' Roll Bleachers can be rolled out and positioned when extra event seating is needed.



Toll Free (888)-568-9064 Fax (260)-482-7449 www.bleachers.net

# BENCHES & TABLES Aluminum or Steel Legs

Benches and Tables for parks, schools, or picnic areas can make a perfect sideline





# PORTABLE SEATING<br/>Pages 4-5 GROUP SEATING<br/>Pages 6-7, 10-11 Accessible SEATING<br/>Page 11 BENCHES<br/>Pages 14-15 TABLES<br/>Pages 14-15 Image: A-5 Image: A-

# **NATIONAL** Series Bleachers

Standard, Preferred, and Deluxe Model Bleachers.

ffffffff



### **ACCESSIBLE** Bleachers



ADA Series bleachers feature wheelchair seating areas with companion seating to meet ADA accessibility requirements.

# Manufacturer of Quality **ALUMINUM BLEACHERS, BENCHES & PICNIC TABLES**

For Over 20 Years



The good news is that about half of all the aluminum used in the United States is being recycled these days. A lot of energy is saved in the recycling process - since it avoids the need to make new aluminum from raw ore. National Recreation Systems has created sustainable designs that use the highest aluminum content commercially available.

### CAPACITY SEATING Pages 8-9



**Bleachers** 

lines for viewing the action.

### **NON-ELEVATED** Bleachers

"Non-Elevated Bleachers" is a term used to describe a type of bleacher where feet rest at ground level on the first row of seats.

Rows	Depth	Height
5	9'4"	7'10"
8	15'4"	9'10"
10	19'4"	11'2"
12	23'4"	12'6"
13	25'4"	13'2"
15	29'4"	14'6"
20	39'4"	17'10"
-		

Dimensions are approximate





# **ELEVATED** Bleachers

"Elevated Bleachers" is a term used to describe a type of bleacher where feet rest at the height of the elevated front walkway on the first row seats. Several elevation heights are available. These elevations require entry stairs and front guardrail. An accessible ramp may also be required with ADA seating.

Rows	Depth	Height
5	15'2"	10' 10"
8	21'2"	12'10"
10	25'2"	14'2"
12	29'2"	15'6"
13	31'2"	16'2"
15	35'2"	17'6"
20	45'2"	20'10"

Based on a 36" elevated front walkway





DEPTH

HEIGHT

# TIP N' ROLL Bleachers

Model	Seats	Length	Riser	Guardrail
TR-0215STD	20	15"	no	no
TR-0315STD	30	15"	no	no
TR-0415ALRSTD	40	15"	no	no

### 2, 3 & 4-Row Tip N' Roll Bleachers

Tip N' Roll Bleachers can be rolled out and positioned when extra event seating is needed. Non-marring rubber foot pads are standard to protect floors. Available as:

- **Standard Model** (1) single 2"x10" mill finish foot plank
- **Preferred Model** (2) double 2"x10" mill finish foot planks




Rows	Model	Seat Height	Rise	Seat	Width	Height
2	Tip N' Roll	17"	8"	2 x10	2'2"	3' 3"
3	Tip N' Roll	16"	6"	2 x10	2'5"	5'0"
3	Low Rise Tip N' Roll	12"	6"	2 x12	2'0"	4'2"
4	Low Rise Tip N' Roll	12"	6"	2 x12	2'6"	7'1"



3-Row Preferred Model Bleacher

• (2) double 2"x10" foot planks



The systems are easily tipped up onto swivel non-marring casters for ease of movement. The aluminum frames reduce weight for easier lifting.




Exclusive **4-Row Outrigger** adds stability when tipped up for movement. (4-Row model only)



Always check with your local building department for applicable codes. All bleachers should be properly anchored to resist wind loads.



4-Row Preferred Model Bleacher(2) double 2"x10" foot planks



# TRANSPORTABLE Bleachers

Model	Seats	Length	Aisle	Guardrail
NB-0515ATPSTD	50	15"	no	yes
NB-0521ATPPRF	70	21"	no	yes
NB-0524ATPDLX	68	24"	yes	yes
NB-1015ATPSTD	100	15"	no	yes
NB-1021ATPPRF	140	21"	no	yes
NB-1024ATPDLX	133	24"	yes	yes
Othor Sizos Ava	ilabla			

Other Sizes Available


- Available as: Standard, Preferred, or Deluxe models (Refer to pages 6-7 for features).
- 15' systems are available as **Standard** or **Preferred** models only.



### Light-Duty Transport Kit

Required with 5 row systems. Includes: Wheel, Mechanical Jack, and Tongue Assembly. One kit can be purchased to move multiple Transportable Bleachers.

- **5-Row -** Requires light-duty transport kit
- 10-Row Requires heavy-duty transport kit



### 5 & 10-Row Transportable Bleachers

The Transportable Bleachers are designed to withstand the rigors of movement (each Transportable Bleacher is fitted with additional horizontal steel lifting brace and additional cross bracing for added structural support). Available with galvanized steel or aluminum frames, and includes ground sills.



Heavy-Duty Transport Kit

Required with 10-Row systems. Includes: Wheels, Integrated Hydraulic Jack, and Tongue Assembly.

- **5-Row –** Requires light-duty transport kit
- **10-Row –** Requires heavy-duty transport kit



The **Smart Solution** for the budget-minded *Transport from one location to the next!* 

10-Row Deluxe Model Transportable Bleacher



A STAK

NRS

# NATIONAL Series Bleachers Standard Model Quality and Value

Model	Description	Length	Seating Capacity	Guardrail
NB-0315ASTD	3-Row Standard	15'	30	no
NB-0515ASTD	5-Row Standard	15'	50	yes
NB-1015ASTD	10-Row Standard	15'	100	yes
Other Sizes A	vailable			





**3-Row Standard** with red powder coated seat planks

3-Row Standard Bleacher



5-Row Standard Bleacher with standard chainlink guardrail

### **3-Row Standard Model Bleachers**

- 16" first seat height
- 6" rise per row
- Top seat height under 30"
- 2"x10" anodized seat plank
- (1) 2"x10" mill finish foot plank on rows 2 & 3

Guardrail and riser plank not required by most building and safety codes.

### 5&10-Row Standard Model **Bleachers**

- 17" first seat height
- 8" rise per row
- 2"x10" anodized seat plank
- Chainlink guardrail system included or Vertical Picket guardrail available
- (1) 2"x10" mill finish aluminum foot plank (rows 2 - 3)
- (2) 2"x10" mill finish aluminum foot plank (rows 4 & up)
- (1) 1"x6" riser plank rows 4 & up
- (2) 1"x6" riser plank (top row)

		Model	Description	Length	Seating Capacity	Guardrail
NATIONAL	Series Bleachers	NB-0315APRF	3-Row Preferred	15'	30	no
	Preferred Model with added	NB-0515APRF	5-Row Preferred	15'	50	yes
	footplanks for more secure footing	NB-1015APRF	10-Row Preferred	15'	100	yes
		Other Sizes A	vailable			



### 3, 5 & 10-Row Preferred Model Bleachers include all the features

of the Standard Models plus...



• (2) 2"x10" mill finish foot plank on rows 2-3 to provide more secure footing



	Model	Description	Length	Seating Capacity	Riser Planks	Guardrail
	NB-0321ADLX	3-Row Deluxe	21'	36	yes	no
	NB-0327ADLX	3-Row Deluxe	27'	48	yes	no
	NB-0521ADLX	5-Row Deluxe	21'	58	yes	yes
Series Bleachers Deluxe Model with aisles, double foot plank, and riser plank on all rows	NB-0527ADLX	5-Row Deluxe	27'	74	yes	yes
	NB-1021ADLX	10-Row Deluxe	21'	112	yes	yes
	NB-1027ADLX	10-Row Deluxe	27'	144	yes	yes
	Other Sizes	Available				





Deluxe Model Bleacher includes all the features of the Preferred Model plus...



• 1" x 6" riser plank on all rows







5-Row Deluxe Bleacher



**Riser Planks on all rows** 

# **OPTIONS** for Group Seating



Vertical Picket Guardrail System



Always check with your local building department for applicable codes. All bleachers should be properly anchored to resist wind loads.



Add school colors! 4 stock color planks available in 7.5', 12', 15', and 24' lengths many other special order colors and lengths available

Most bleacher systems are available with aluminum or galvanized steel angle frames.



# ELEVATED Bleachers

For better sight lines when players are on the sidelines or increased viewing of the action, **Elevated Bleachers** are your ticket to the *"Best Seat in the House"*.



### **Powder Coated Seat and Riser Planks**



Always check with your local building department for applicable codes. All bleachers should be properly anchored to resist wind loads.

### **Elevated** Bleachers

- Front walkway with railingChainlink or vertical picket
- guardrail
- Aisles with anodized aluminum handrail
- Entry stairs with contrasting nosing
- Anodized aluminum seat plank
- (2) 2"x10" mill finish foot plank on all rows
- 1"x6" riser plank on all rows and (2) 1"x6" riser plank on top rows
- Various front walkway elevations available





	Seating Lay		ayouts available.
Rows	Length	Seats	ADA Seats
5	39'	102	4
5	61'6"	155	5
5	103'6"	283	5
10	91'6"	497	6
10	133'6"	740	8
10	175'6"	983	10
15	91'6"	745	8
15	121'6"	993	10
15	175'6"	1,475	13
20	91'6"	993	10
20	181'6"	1,982	16
20	271'6"	3,034	24



# **ELEVATED BLEACHERS**

Also Available as Non-Elevated Systems



Aisle with Handrail



ADA Wheelchair Section



**Press Box** 

and some of the local division of the local

FΕ



ADA Accessible Ramp



**Entry Stairs** 

Vertical Picket Guardrail





# LOW RISE Bleachers

Model	Description	Length	Seats	Guardrail	Dbl. Foot Plank
NB-0415ALRSTD	4-Row Low-Rise	15'	40	no	no
NB-0415ALRPRF	4-Row Low-Rise	15'	40	no	yes
NB-0515ALRSTD	5-Row Low-Rise	15'	50	yes	Row 5
NB-0515ALRPRF	5-Row Low-Rise	15'	50	yes	yes



### Standard Model 3 & 4-Row Low-Rise Bleachers

- Top seat height under 30" high
- First seat height under 12" high
- 6" rise/24" run per row
- 2"x12" anodized seat plank (extra wide)
- (1) 2''x10'' mill finish foot plank all rows

### Standard Model 5-Row Low-Rise Bleachers

includes the same features as the 3-4 row Low-Rise Bleachers Standard Model plus...



- A unique vertical picket guardrail system to comply with code. (Top seat over 30")
- (2) 1"x 6" riser planks on the top row
- (2) 2"x 10" mill finish foot plank on row 5

All sizes are available as **Preferred Models** which include all the same features as the Standard Model



(2) 2"x10" mill finish foot plank on rows 2-3


4-Row Low-Rise "Preferred Model" Bleacher



Always check with your local building department for applicable codes. All bleachers should be properly anchored to resist wind loads.



5-Row Low-Rise "Standard Model"



ADA Series Bleachers feature wheelchair seating areas with companion seating to meet ADA accessibility requirements. Available with chainlink or vertical picket guardrail. 5-Row x 27' Chainlink Guardrail

# SUPERIOR SEAT Series



- Seats with back rests for more comfort
- Closed Deck System for easier maintenance
- 14" rise per row for superior line of sight
- 36" run for additional leg room and more comfort
- Aisle with center handrail for easier access to upper rows
- All-aluminum vertical picket guardrail for a safer non-climbable system


# CUSTON Designs

Custom Designed Bleachers are available with many features and options to meet your specific needs. Our in-house design and engineering departments can take your facility seating project from concept to reality – on budget and on time.





# **BLEACHER COMPONENTS**



L Bracket



T Bracket

# **RENOVATIONS** Update existing bleachers to code compliance



Update old non-compliant bleachers to today's building and safety codes and eliminate maintenance of old wood planking.

Many bleachers can be retrofitted using the existing framework by adding maintenance free aluminum planking to replace deteriorated wood planks and close up openings.

From this... **TO THIS!** All openings closed to less than 4" for compliance

# **TS & RENOVATIO**

0000 



### ADA Compliant wheelchair accessibility

# PTIONS to meet code requirements

- ADA Accessibility
- Guardrails
- Aisles & handrails
- Openings closed to 4" or less
- Number of exits

Red	Green	Blue	Navy

Add school colors! many other special order colors available

NRS National Recreation Systems



Toll Free (888)-568-9064 Fax (260)-482-7449 Visit us online at www.bleachers.net

# Picnic TABLES

Model	Length	Description
PT-AP06	6'	All Anodized Aluminum
PT-AP08	8'	All Anodized Aluminum
PT-AP09HC	9'	All Anodized Aluminum (wheelchair accessible)



All-Aluminum Picnic Tables are lightweight maintenance free aluminum seat and table top with 1-7'8" O.D. anodized aluminum legs. The mechanically fastened assembly allows tables 8' or less to be shipped via parcel service to save on freight costs.





Optional Powder Coat Plank Colors available in 7.5' and 15' lengths

Aluminum Picnic Table w/ ADA Access

# BENCHES

National Recreation Systems' Aluminum Benches are available with Powder Coated seats, backrests and shelves. Add your team colors with our protective Powder Coat to improve appearance or to reduce glare. All Benches are available in 6', 8', 12', 15', 21', and 24'. Some assembly required.

Model	Aluminum Legs
DI	Portable Bench w/o Back
DB	Portable Bench (Dbl. Wide) w/o Back
DG	Portable Bench w/ Back
DGS	Portable Bench w/ Backrest & Shelf
DD	Permanent Bench w/o Back
DE	Locker Room Bench w/o Back



### DI Bench



**DB** Portable Bench (Double Wide)

# **ALUMINUM OR**

Whether it's your local high school football team or the biggest game in pro football...



**DG** Portable Bench w/ Back shown with optional foot pads



DGS Bench w/ Backrest & Shelf



DD Permanent Bench



**DE** Locker Room Bench w/o Back shown with optional foot pads

Model	Length	Description
PT-SG06	6'	Standard Gauge Steel Leg Table
PT-SG08	8'	Standard Gauge Steel Leg Table
PT-SG09HC	9'	Standard Gauge Steel Leg Table (ADA Accessible)

Model	Length	Description
PT-HG06	6'	Heavy Gauge Steel Leg Table
PT-HG08	8'	Heavy Gauge Steel Leg Table
PT-HG09HC	9'	Heavy Gauge Steel Leg Table (ADA Accessible)



ADA Picnic Table with Steel Legs

Aluminum Picnic Table with Steel Legs

Model	Galvanized Steel Legs		
PI	Portable Bench w/o Back		
PD	Permanent Bench w/o Back		
PE	Surface Mount Bench w/o Back		
PB	Permanent Bench w/Back		
PH	Surface Mount Bench w/Back		
PG	Portable Bench w/Back		





**PI** Portable Bench w/o Back

**STEEL LEGS** 

"Our benches are up for the game."



PD Permanent Bench



**PE** Surface Mount Bench



**PB** Permanent Bench w/Back



**PH** Surface Mount Bench w/Back



**PG** Portable Bench w/Back







National Recreation Systems







Aluminum planks covered against blistering, cracking, peeling or flaking due to weather, temperature changes, continued exposure to rain, snow or U.V. rays from the sun. 1 Year Warranty - failure of structural strength of any framework component. For full warranty information visit: **bleachers.net** 









5120 Investment Drive, Fort Wayne, IN 46808

Toll Free (888)-568-9064 Fax (260)-482-7449

*E-mail: sales@bleachers.net* Online: **www.bleachers.net**